HARBOR BRANCH OCEANOGRAPHIC INSTITUTION
LIBRARY

PHYTOCHEMISTRY

THE INTERNATIONAL JOURNAL
OF PLANT BIOCHEMISTRY
AND MOLECULAR BIOLOGY

Regional Editors

UK, Africa, The Commonwealth & Rest of the World

J. B. HARBORNE F.R.S.

The Americas & East Asia

N. G. LEWIS

Continental Europe & Russia

D. STRACK

Volume 49 Contents, Author Index and
Subject Index 1998

PERGAMON

PHYTOCHEMISTRY

The International Journal of Plant Biochemistry and Molecular Biology

Regional Editor for: U.K., Africa, The Commonwealth & Rest of the World

J. B. HARBORNE F.R.S.: Plant Science Laboratories, The University, Whiteknights, P.O. Box 221, Reading RG6 6AS, Berks., U.K.

Regional Editor for: The Americas & East Asia

N. G. LEWIS: Institute of Biological Chemistry, Washington State University, Pullman, WA 99164-6340, U.S.A.

Regional Editor for: Continental Europe & Russia

D. STRACK: Institut für Pflanzenbiochemie, Abt. Sekundarstoffwechsel, Weinberg 3, D-06120 Halle (Saale), Germany.

Associate Editors

L. J. GOAD, P. J. HOLLOWAY, P. J. LEA, D. R. THRELFALL, C. A. WILLIAMS

EDITORIAL BOARD—1998

Y. Asakawa:	Faculty of Pharmaceutical Sciences, Tokushima Bunri University, Yameshiro-cho, 770 Tokushima, Japan.
E. A. Bell:	Pharmacology Group, King's College, Manresa Road, London SW3 6LX, U.K.
G. P. Bolwell:	School of Biological Sciences, Royal Holloway, University of London, Egham, Surrey TW20 0EX, U.K.
E. E. Conn:	Dept of Biochemistry and Biophysics, University of California, Davis, CA 95616, U.S.A.
G. Cordell:	Program for Collaborative Research in the Pharmaceutical Sciences, College of Pharmacy, University of Illinois a Chicago, IL 60612, U.S.A.
R. Croteau:	Institute of Biological Chemistry, Washington State University, Pullman, WA 99164-6340, U.S.A.
V. De Luca:	Dept de sciences biologiques, Institut de recherche en biologie vegetale, Universite de Montreal, 4101 est ru Sherbrooke, Montreal, Quebec, Canada H1X 2B2.
N. H. Fischer:	Dept of Chemistry, Louisiana State University, Baton Rouge, LA 70803, U.S.A.
L. Fowden:	Rothamsted Experimental Station, Harpenden, Herts., U.K.
O. R. Gottlieb:	Instituto de Quimica, Universidade de São Paulo, C.P. 20780, São Paulo 01498, Brazil.
J. L. Harwood:	Dept of Biochemistry, University of Wales, P.O. Box 903, Cardiff CF1 1ST, U.K.
W. Herz:	Dept of Chemistry, The Florida State University, Tallahassee, FL 32306, U.S.A.
K. Hostettmann:	Institut de Pharmacognosie et Phytochemie, B.E.P., 1015 Dorigny-Lausanne, Switzerland.
T. J. Mabry:	Dept of Botany, University of Texas at Austin, TX 78713, U.S.A.
B. V. Milborrow:	School of Biochemistry, University of NSW, P.O. Box 1, Kensington, NSW 2033, Australia.
T. Okuda:	Kitakata 3-4-25, Okayama City 700, Japan.
J. D. Phillipson:	School of Pharmacy, University of London, 29/39 Brunswick Square, London WC1N 1AX, U.K.
J. E. Poulton:	Dept of Botany, University of Iowa, Iowa City, IA 52242, U.S.A.
U. Sankawa:	Faculty of Pharmaceutical Sciences, Dept of Pharmacognosy, Toyama Medical and Pharmaceutical University, 263 Sugitani, Toyama 930-10, Japan.
G. H. N. Towers:	Dept of Botany, University of British Columbia, 2357 Main Hall, Vancouver, B.C., Canada V6T 1Z4.
H. Wagner:	Inst. für Pharmazeutische Biologie, Karlstrasse 29, 8 München 2, Germany.
P. G. Waterman:	Phytochemistry Research Laboratories, Dept of Pharmacy, University of Strathclyde, 204 George Street, Glasgov G1 1XW, U.K.
M. H. Zenk:	Inst. für Pharmazeutische Biologie, Karlstrasse 29, 8 München 2, Germany.

All manuscripts and contributions should be submitted to either J. B. HARBORNE at Reading, N. G. LEWIS at Pullman or D. STRACK at Halle. Authors are earnestly requested to consult the latest 'Instructions to Authors', which are published in Vol. 44, No. 1 (copies of these instructions are available from the internet) and the 'Aims and Scope' of the journal (see inside back cover). Review articles are welcome, but intending Authors should send an outline to the Regional Editor before preparing their manuscripts. Books for review should be sent to J. B. HARBORNE.

This journal has been designated an official organ of the 'The Phytochemical Society of Europe' and 'The Phytochemical Society of North America' and Society announcements will appear at regular intervals. Reduced subscription rates are available to members of both Societies (details available from Society offices).

Publishing and Advertising Offices: Elsevier Science Ltd, The Boulevard, Langford Lane, Kidlington, Oxford OX5 1GB, U.K.

Annual Subscription Information: Published semi-monthly, two issues per month, January to December (three volumes 1998).

Annual Institutional Subscription Rates 1999: Europe, The CIS and Japan 5851.00 Dutch Guilders. All other countries US$2970.00. Associated Personal Subscription rates are available on request for those whose institutions are library subscribers. Dutch Guilder prices exclude VAT. Non-VAT registered customers in the European Community will be charged the appropriate VAT in addition to the price listed. Prices include postage and insurance and are subject to change without notice.

Any enquiry relating to subscriptions should be sent to: **The Americas:** Elsevier Science, Customer Support Department, P.O. Box 945, New York, NY, 10010, U.S.A. [Tel: (+1) 212-633-3730 / 1-888 4ES-INFO. Fax: (+1) 212-633-3680. E-mail: usinfo-f@elsevier.com]. **Japan:** Elsevier Science K. K., Customer Support Department, 9-15 Higashi-Azabu 1-chome, Minato-ku, Tokyo 106, Japan [Tel: (+3) 5561-5033. Fax: (+3) 5561-5047. E-mail: info@elsevier.co.jp]. **Asia Pacific (*excluding Japan*):** Elsevier Science (Singapore) Pte Ltd, No. 1 Temasek Avenue, 17-01 Millennia Tower, Singapore 039192. [Tel: (+65) 434-3727. Fax: (+65) 337-2230. E-mail: asiainfo@elsevier.com.sg]. **Rest of the World:** Elsevier Science, Customer Service Department, P.O. Box 211, 1001 AE Amsterdam, The Netherlands. [Tel: (+31) 20-485-3757. Fax: (+31) 20-485-3432. E-mail: nlinfo-f@elsevier.nl]. *Microform back issues*: back issues of all previously published volumes in both hard copy and on microform, are available direct from Elsevier Science Offices (Oxford, New York).

For queries relating to the general submission of articles (including electronic text and artwork) and the status of accepted manuscripts, please contact the Author Service Department at Elsevier Science Ltd. E-mail: authors@elsevier.co.uk; Fax: +44 (0) 1865 843905; Tel.: +44 (0) 1865 843900.

Copyright © 1998 Elsevier Science Ltd

PERIODICALS POSTAGE PAID AT RAHWAY, NJ AND ADDITIONAL ENTRY POINTS. *Phytochemistry* **(ISSN 0031-9422)** is published **semi-monthly, two issues per month, January to December in three volumes**, by Elsevier Science Ltd, The Boulevard, Langford Lane, Kidlington, Oxford OX5 1GB U.K. The annual subscription in the U.S.A. is **$2801**. *Phytochemistry* is distributed by Mercury Airfreight International Ltd, 365 Blair Road, Avenel, NJ 07001, U.S.A. Postmaster: please send address corrections to *Phytochemistry*, c/o Elsevier Science, Regional Sales Office, Customer Support Department, 655 Avenue of the Americas, New York, NY 10010, U.S.A. [Tel: (+1) 212-633-3730 / 1-888 4ES-INFO. Fax: (+1) 212-633-3680. E-mail: usinfo-f@elsevier.com].

Front cover illustration: *Ginkgo biloba* L., Maidenhair tree, with active constituents Ginkgolide A (upper) and Ginkgetin (lower).

CONTENTS OF VOLUME 49

Number 1

Review Article Number 132

Evolution of angiosperms via modulation of antagonisms — 1 O. R. Gottlieb and M. R. de M. B. Borin

Growth and Metabolism

Continuous light alters indole-3-acetic acid metabolism in *Lemna gibba* — 17 Y. T. Tam, J. P. Slovin and J. D. Cohen

Inactivation and cleavage of radish peroxidase by various reducing agents — 23 L. M. Young and K. S. Soo

Purification and thermostability of isoperoxidase from oranges — 29 E. Clemente

H_2O_2-Generation and the influence of antioxidants during the 2,3,5-triiodobenzoic acid-mediated induction of glutathione S-transferase in soybean — 37 T. Flury, K. Kreuz and E. Wagner

Metabolic routes of β-(isoxazolin-5-on-2-yl)-L-alanine (BIA), the precursor of the neurotoxin ODAP (β-*N*-oxalyl-L-α,β-diaminopropionic acid), in different legume seedlings — 43 Y.-H. Kuo, F. Ikegami and F. Lambein

Stereochemistry in the reduction of enones by the reductase from *Euglena gracilis* Z — 49 K. Shimoda, T. Hirata and Y. Noma

A $HgCl_2$ insensitive and thermally stable inulinase from *Aspergillus oryzae* — 55 A. K. Gupta, A. Gill and N. Kaur

Cyanogenic glucosides in *Linum usitatissimum* — 59 I. Niedźwiedź-Siegień

Chemical depolymerization studies of the molecular architecture of lime fruit cuticle — 65 A. K. Ray, Z.-J. Chen and R. E. Stark

Uptake of cardenolides from phloem sap into crown galls of *Digitalis lanata* — 71 W. Pinkwart, B. Dietrich and M. Luckner

Indoxyl derivatives in woad in relation to medieval indigo production — 79 T. Kokubun, J. Edmonds and P. John

Ecological Biochemistry

Isolation of abscisic acid producing strains of phytopathogens — 89 J. Wu and Z. Shi

Natural production of chloroform by fungi — 91 E. J. Hoekstra, F. J. M. Verhagen, J. A. Field, E. W. B. de Leer and U. A. th Brinkman

Amino acid precursors of the garlic-like odour in *Scorodocarpus borneensis* — 99 K. Kubota, H. Hirayama, Y. Sato, A. Kobayashi and F. Sugawara

A caffeoylcyclohexane-1-carboxylic acid derivative from *Asimina triloba* — 103 M. Haribal, P. Feeney and C. C. Lester

Cell Culture and Biotechnology

Biotransformation of *p*-aminobenzoic acid by cultured cells of *Eucalyptus perriniana* — 109 T. Furuya, Y. Asada, S. Mizobata, Y. Matsuura and H. Hamada

Taxoids from cell cultures of *Taxus chinensis* — 113 B. Menhard, W. Eisenreich, P. J. Hylands, A. Bacher and M. H. Zenk

Chemotaxonomy

An aromatic hydrocarbon from the foliar epicuticular wax of *Pilocarpus jaborandi* — 127 G. Negri, M. L. F. Salatino, A. Salatino and L. A. Skorupa

Iridoids from *Loasa acerifolia* — 131 A. A. Müller and M. Weigend

Labdane diterpenes from *Leonurus persicus* — 137 D. Tasdemir, I. Çalis and O. Sticher

3,4-Dihydroxy-3′-methoxybibenzyl from the liverwort *Plagiochila exigua* from Scotland — 145 D. S. Rycroft, W. J. Cole and N. Aslam

Bioactive Plant Products

Casbane diterpenoids from *Euphorbia ebracteolata* — 149 Z.-H. Xu, J. Sun, R.-S. Xu and G.-W. Qin

Enzymatic hydrolysis of the cytotoxic triterpenoid glycoside virgaureasaponin 1 — 153 G. Bader, V. Wray, U. Just and K. Hiller

Lignans and sesquiterpene lactones from *Artemisia sieversiana* and *Inula racemosa* — 157 R. X. Tan, H. Q. Tang, J. Hu and B. Shuai

Plant Chemistry

Iridoid glucosides of *Barleria lupulina* — 163 P. Tuntiwachwuttikul, O. Pancharoen and W. C. Taylor

Phenolic norsesquiterpenes from *Ligularia dentata* — 167 K. Gao and Z.-J. Jia

Clerodane diterpenes of *Croton ururucana* — 171 M. T. L. P. Petes, M. G. Pizzolatti, R. A. Yunes and F. D. Monache

Norabietane diterpenoids and other terpenoids from *Salvia recognita* — 175 N. Tan, G. Topçu and A. Ulubelen

A tetracyclic diterpene and triterpenes from *Euphorbia segetalis* — 179 M.-J. U. Ferreira, A. M. Madureira and J. R. Ascenso

Triterpenes and triterpene glycosyl ester from *Rubus pungens* Camb. var *oldhamii* — 185 B.-G. Wang and Z.-J. Jia

Two triterpene saponins from *Arenaria filicaulis* — 189 M. H. A. Elgamal, H. S. M. Soliman, D. T. Elmunajjed, G. Tóth, A. Simon and H. Duddeck

Triterpenoid saponins from the seeds of *Amaranthus cruentus* — 195 M. Junkuszew, W. Oleszek, M. Jurzysta, S. Piacente and C. Pizza

Two sapogenins from *Tribulus terrestris* — 199 Y.-X. Xu, H.-S. Chen, W.-Y. Liu, Z.-B. Gu and H.-Q. Liang

Trichlorinated phenols from *Hypholoma elongatum* — 203 H. J. Swarts, F. J. M. Verhagen, J. A. Field and J. B. P. A. Wijnberg

Naphthopyranone glycosides from *Paepalanthus bromelioides* — 207 W. Vilegas, L. C. Santos, A. C. Alécio, C. Pizza, S. Piacente, E. de Pauw and P. T. Sano

A polyacetylenic acetate and a coumarin from *Angelica pubescens f. biserrata* — 211 J.-H. Liu, S. Zschocke and R. Bauer

Coumarins from *Paramignya monophylla* root bark — 215 V. Kumar, N. M. M. Niyaz, S. Saminathan and D. B. M. Wickramaratne

Five chromones from *Aloe vera* leaves — 219 N. Okamura, N. Hine, Y. Tateyama, M. Nakazawa, T. Fujioka, K. Mihashi and A. Yagi

A macrocyclic anthocyanin from red/mauve carnation flowers — 225 S. J. Bloor

Phenolic compounds from *Peperomia obtusifolia* 229 T. Tanaka, F. Asai and M. Iinuma

Flavoniods from *Pyrola elliptica* 233 C. Bergeron, A. Marston, S. Antus, R. Gauthier and K. Hostettmann

A flavonoid glycoside from *Maytenus aquifolium* 237 M. Sannomiya, W. Vilegas, L. Rastrelli and C. Pizza

Acylated kaempferol glycosides from the flowers of *Delphinium formosum* 241 S. Özden, N. Dürüst, K. Toki, N. Saito and T. Honda

Four isoflavones from the stem bark of *Erythrina sacleuxii* 247 A. Yenesew, J. O. Midiwo, M. Heydenreich and M. G. Peter

Isoflavonoid glycosides from *Eriosema tuberosum* 251 W. G. Ma, Y. Fukushi, K. Hostettmann and S. Tahara

A 12A-hydroxyrotenoid from roots of *Boerhaavia coccinea* 255 A. S. Santos, L. C. Caetano and A. E. G. Sant'Ana

Short Reports

Acetylenic thiophenes from *Blumea obliqua* 259 V. U. Ahmad, N. Alam and M. Qaisar

Terpenoids from *Copaiba cearensis* 263 W. F. Braga, C. M. Rezende, O. A. C. Antunes and Ã. C. Pinto

11-Epi-azadirachtin D: an epimeric azadirachtin analogue from *Azadirachta indica* 265 N. Ramji, K. Venkatakrishnan and K. M. Madyastha

3α,24-Dihydroxy-urs-12-en-28-oic acid from *Verbena officinalis* 269 M. Deepak and S. S. Handa

A cardenolide glycoside from *Gomphocarpus sinaicus* 273 N. S. Abdel-Azim

Three hydroxymethylanthraquinone glycosides from *Rubia tinctorum* 277 N. A. El-Emary and E. Y. Backheet

Book Review

Hairy Roots Culture and Application, edited by P. M. Moran 281 M. Brownleader

Number 2

Preface 283 N. G. Lewis and R. Ibrahim

Review Article Number 133

Teosinte to maize—some aspects of missing biochemical and physiological data concerning regulation of flavonoid pathways 285 H. A. Stafford

Growth and Metabolism

Comparative efficiency of different constructs for down regulation of tobacco cinnamyl alcohol dehydrogenase 295 N. Yahiaoui, C. Marque, H. Corbière and A. M. Boudet

Enzymology of UDP-glucose:sinapic acid glucosyltransferase from *Brassica napus* 307 S. X. Wang and B. E. Ellis

Purification and immunological characterization of a recombinant trimethylflavonol 3′-*O*-methyltransferase 319 J. Seguin, I. Muzac and R. K. Ibrahim

Gallotannin biosynthesis: purification of β-glucogallin: 1,2,3,4,6-pentagalloyl-β-D-glucose galloyltransferase from sumac leaves 327 R. Niemetz and G. G. Gross

Soluble sinapoly esters are converted to wall-bound esters in phenylalanine ammonia-lyase-inhibited radish seedlings 333 M. Chen, D. C. Gitz III and J. W. McClure

Inhibition of alfalfa root nodule phosphoenolpyruvate carboxylase through an antisense strategy impacts nitrogen fixation and plant growth — 341 J. Schulze, L. Shi, J. Blumenthal, D. A. Samac, J. S. Gantt and C. P. Vance

Methionine sulphoximine does not inhibit pea and wheat glutamate dehydrogenase — 347 U. Bechtold, E. Pahlich and P. J. Lea

The specificity of methionine sulfoximine and azaserine inhibition in plant tissues — 355 A. Oaks, S. Sivasankar and V. J. Goodfellow

Allium chemistry: identification of organosulfur compounds in ramp (*Allium trioccum*) homogenates — 359 E. M. Calvey, K. D. White, J. E. Matusik, D. Sha and E. Block

Enzymic activities responsible for xyloglucan depolymerization in extracts of developing tomato fruit — 365 A. Faik, D. Desveaux and G. Maclachlan

Phenolic metabolism, growth, and UV-B tolerance in phenylalanine ammonia-lyase-inhibited red cabbage seedlings — 377 D. C. Gitz III, L. Liu and J. W. McClure

Furanofuran lignan metabolism as a function of seed maturation in *Sesamum indicum*: methylenedioxy bridge formation — 387 Y. Jiao, L. B. Davin and N. G. Lewis

Jasmonate modulates development- and light-regulated alkaloid biosynthesis in *Catharanthus roseus* — 395 F. A. Vázquez-Flota and V. de Luca

Differential regulation and distribution of acridone synthase in *Ruta graveolens* — 403 K. T. Junghanns, R. E. Kneusel, D. Gröger and U. Matern

Ecological Biochemistry

Changes in arginine, PAL activity, and nematode behavior in salinity-stressed citrus — 413 D. C. Dunn, L. W. Duncan and J. T. Romeo

Detoxification of 3-nitropropionic acid and karakin by melanopline grasshoppers — 419 W. Majak, D. L. Johnson and M. H. Benn

Volatile monoterpenes in *Porophyllum gracile* and *P. ruderale* (asteraceae): identification, localization and insecticidal synergism with α-terthienyl — 423 G. Guillet, A. Bélanger and J. T. Arnason

Identification and synthesis of trinorcadalene phytoalexins formed by *Hibiscus cannabinus* — 431 A. A. Bell, R. D. Stipanovic, J. Zhang, M. E. Mace and J. H. Reibenspies

Phytotoxic compounds from *Esenbeckia yaxhoob* — 441 R. Mata, M. L. Macías, I. S. Rojas, B. Lotina-Hennsen, R. A. Toscano and A. L. Anaya

Polymerization of resorcinol by an cryptophycean exoenzyme — 451 R. Sütfeld

Antifungal benzoic acid derivatives from *Piper dilatatum* — 461 C. Terreaux, M. P. Gupta and K. Hostettmann

Biosynthesis

The biogenesis of β-N-(γ-glutamyl)-4-hydroxymethylphenylhydrazine (agaritine) in *Agaricus bisporus* — 465 D. Baumgartner, L. Hoesch and D. M. Rast

Monoterpene biosynthesis in the liverwort *Conocephalum conicum*: demonstration of sabinene synthase and bornyl diphosphate synthase — 475 K.-P. Adam and R. Croteau

Temporal correlation of tyramine metabolism with alkaloid and amide biosynthesis in elicited opium poppy cell cultures — 481 P. J. Facchini

Cell Culture and Biotechnology

Production of podophyllotoxin in *Juniperus chinensis* callus cultures treated with oligosaccharides and a biogenetic precursor — 491 T. Muranaka, M. Miyata, K. Ito and S Tachibana

Purification of 2-hydroxyisoflavanone dehydratase from the cell cultures of *Pueraria lobata* — 497 T. Hakamatsuka, K. Mori, S. Ishida, Y. Ebizuka and U. Sankawa

Chemotaxonomy

Taxonomic distribution of plant glucosyltransferases acting on xenobiotics — 507 S. Pflugmacher and H. Sandermann, Jr.

Acetylenes in the genus *Dahlia*, asteraceae — 513 J. Lam

Floral fragrance compounds of some *Anthurium* (araceae) species and hybrids — 521 N. Kuanprasert, A. R. Kuehnle and C. S. Tang

Flavonoid patterns and the revised classification of Australian restionaceae — 529 C. A. Williams, J. B. Harborne, J. Greenham, B. G. Briggs and L. A. S. Johnson

Flavonoids of Hawaiian endemic *Lysimachia* — 553 K. L. Marr, B. A. Bohm, C. Cogke and P. Gunning

Bioactive Plant Products

Antimycobacterial evaluation of germacranolides — 559 N. H. Fischer, T. Lu, C. L. Cantrell, J. Castañeda-Acosta, L. Quijano and S. G. Franzblau

Muricoreacin and murihexocin C, mono-tetrahydrofuran acetogenins, from the leaves of *Annona muricata* — 565 G.-S. Kim, L. Zeng, F. Alali, L. L. Rogers, F.-E. Wu, S. Sastrodihardjo and J. L. McLaughlin

Plant Chemistry

(2*R*)-2-Amino-6-hydroxy-4-hexynoic acid, and related amino acids in the fruiting bodies of *Amanita miculifera* — 573 S.-I. Hatanaka, Y. Niimura, K. Takashima and J. Sugiyama

Three lasiodiplodins from *Lasiodiplodia theobromae* IFO 31059 — 579 H. Matsuura, K. Nakamori, E. A. Omer, C. Hatakeyama, A. Ichihara and T. Yoshihara

Intramolecular stabilization of acylated betacyanins — 585 W. Schliemann and D. Strack

Sesquiterpenes from the nematicidal fungus *Clitocybula oculus* — 589 W. A. Ayer, R. Shan, L. S. Trifonov and L. J. Hutchison

Tricyclic sesquiterpenes from *Rudbeckia laciniata* — 593 Y. Fukushi, C. Yajima, J. Mizutani and S. Tahara

Diterpenoids from the Japanese liverwort *Jungermannia infusca* — 601 F. Nagashima, S. Takaoka and Y. Asakawa

Lingulatusin, two epimers of an unusual linear diterpene from *Aster lingulatus* — 609 Y. Shao, M.-F. Wang, C.-T. Ho, C.-K. Chin, S.-W. Yang, G. A. Cordell, H. Lotter and H. Wagner

Synthesis and absolute configuration of the insecticidal sesquilignan (+)-haedoxan A — 613 F. Ishibashi and E. Taniguchi

Polyphenols isolated from the bark of *Castanea sativa* Mill. Chemical structures and auto-association — 623 O. Lampire, I. Mila, M. Raminosoa, V. Michon, C. H. Du Penhoat, N. Fauchieur, O. Laprevote and A. Scalbert

Number 3

Graphical Abstracts — ix

Growth and Metabolism

Leaf-opening substance of a nyctinastic plant, *Cassia mimosoides* — 633 M. Ueda, T. Ohnuki and S. Yamamura

Bioactivity of brassinolide methyl ethers — 637 W. Luo, L. Janzen, R. P. Pharis and T. G. Back

Purification and characterization of an endoprotease from alfalfa senescent leaves — 643 B. Nieri, S. Canino, R. Versace and A. Alpi

Partial purification and characterization of sugarcane neutral invertase — 651 D. J. Vorster and F. C. Botha

Amylases synthesis in scutellum and aleurone layer of maize seeds — 657 K. V. Subbarao, R. Datta and R. Sharma

Purification and characterization of a mannose/glucose-specific lectin from *Castanea crenata* — 667 K. Nomura, H. Ashida, N. Uemura, S. Kushibe, T. Ozaki and M. Yoshida

Purification and characterization of a lectin from seeds of *Vatairea macrocarpa* duke — 675 B. S. Cavada, C. F. Santos, T. B. Grangeiro, E. P. Nunes, P. V. P. Sales, R. L. Ramos, F. A. M. De Sousa, C. V. Cristostomo and J. J. Calvete

Rhamnogalacturonan II from cell walls of *Cryptomeria japonica* — 681 Y. Edashige and T. Ishii

Cell wall-specific ω-hydroxy fatty acids in some freshwater green microalgae — 691 P. Blokker, S. Schouten, H. Van Den Ende, J. W. De Leeuw and J. S. Sinninghe Damsté

Effects of cinnamic acid on polyphenol production in *Plantago lanceolata* — 697 F. Fons, A. Gargadennec, A. Gueiffier, J. L. Roussel and C. Andary

Tyrosine and cysteine are substrates for blackspot synthesis in potato — 703 L. H. Stevens, E. Davelaar, R. M. Kolb, E. J. M. Pennings and N. P. M. Smit

Ecological Biochemistry

Bioactive polar triterpenoids from *Melilotus messanensis* — 709 F. A. Macías, A. M. Simonet, J. C. G. Galindo, P. C. Pacheco and J. A. Sánchez

3-β-D-glucopyranosyl-benzoxazolin-2(3*H*)-one — A detoxification product of benzoxazolin-2 (3*H*)-one in oat roots — 719 I. Wieland, M. Kluge, B. Schneider, J. Schmidt, D. Sicker and M. Schulz

Cell Culture and Biotechnology

Tulipaline and tuliposide in cultured explants of tulip bulb scales — 723 M. W. P. C. van Rossum, M. Alberda and L. H. W. Van Der Plas

Chemotaxonomy

Seed oil alkanes from leguminosae species: even-carbon number preference — 731 A. L. Lamarque, R. H. Fortunato and C. A. Guzmán

Galactomannans and arabinans from seeds of caesalpiniaceae — 737 C. L. O. Petkowicz, M.-R. Sierakowski, J. L. M. S. Ganter and F. Reicher

Bioactive Plant Products

Cytotoxic butanolides from *Litsea akoensis* — 745 I.-S. Chen, I.-L. Lai-Yaun, C.-Y. Duh and I.-L. Tsai

Antileishmanial activity of compounds extracted and characterized from *Centrolobium sclerophyllum* — 751 C. A. C. Araujo, L. V. Alegrio and L. L. Leon

Plant Chemistry

A long chain alcohol from *Argemone mexicana* — 755 N. K. Sangwan and M. S. Malik

A cyanogenic glycoside from *Passiflora edulis* fruits — 757 D. Chassagne and J. Crouzet

Mono-tetrahydrofuran acetogenins from *Goniothalamus giganteus* — 761 F. Q. Alali, Y. Zhang, L. Rogers and J. L. McLaughlin

Linear acetogenins from *Goniothalamus donnaiensis* — 769 Z. Jiang, Y. Chen, R.-Y. Chen and D.-Q. Yu

10-Acetoxy-9-chloro-8,9-dehydrothymol and further thymol derivatives from *Arnica sachalinensis* — 777 C. M. Passreiter, U. Matthiesen and G. Willuhn

Iridoid glucosides with different acyl moieties from globularinin and globularimin from leaves of *Premna subscandens* — 783 H. Sudo, T. Ide, H. Otsuka, E. Hirata, A. Takushi and Y. Takeda

Iridoid and eugenol glycosides from *Nepeta cadmea* 787 Y. Takeda, Y. Ooiso, T. Masuda, G. Honda, H. Otsuka, E. Sezik and E. Yesilada

Guaiane sesquiterpenoids from *Haplopappus foliosus* 793 C. Labbé, F. Faini, J. Coll and P. Carbonell

Guaian-5, 12-olides from *Leontodon hispidus* 797 C. Zidorn, E. P. Ellmerer-Müller and H. Stuppner

Sesquiterpene lactones from *Saussurea lappa* 801 B. R. Chhabra, S. Gupta, M. Jain and P. S. Kalsi

Kaurene diterpenes from *Mikania vitifolia* 805 G. O. Lobitz, G. Tamayo-Castillo, L. Poveda and I. Merfort

11-Episcutecolumnin C, A neo-clerodane diterpenoid from *Scutellaria columnae* 811 P. Y. Malakov, G. Y. Papanov and V. B. Deltchiev

Hydroxylated diterpenoids from *Halimium viscosum* 817 J. M. L. Rodilla, D. I. M. De Mondonça, J. G. Urones and R. F. Moro

Terpenoids from *Croton cajucara* 823 M. A. M. Maciel, A. C. Pinto, S. N. Brabo and M. N. da Silva

Cycloartane triterpene glucosides from *Corchorus depressus* 829 V. U. Ahmad, A. Ali, Z. Ali, F. T. Baqai and F. N. Zafar

Cycloartame triterpemes from *Combretum quadrangulare* 835 M. Ganzera, E. P. Ellmerer-Müller and H. Stuppner

A lupane-triterpene glycoside from leaves of two *Acanthopanax* 839 C.-S. Yook, I.-H. Kim, D.-R. Hahn, T. Nohara and S.-Y. Chang

A cycloartane triterpene 3β,16β diglucoside from *Astragalus trigonus* and its non natural 6-hydroxy epimer 845 L. Verrota, F. Orsini, M. Tatò, N. A. El-Sebakhy and S. M. Toaima

Garsubellins, polyisoprenylated phloroglucinol derivatives from *Garcinia subelliptica* 853 Y. Fukuyama, H. Minami and A. Kuwayama

Lipophilic flavonoids from the fern *Woodsia scopulina* 859 C. Economides and K.-P. Adam

Two biflavonoids from *Daphne acutiloba* 863 M. Taniguchi, A. Fujiwara, K. Baba and N.-H. Wang

Acylated cyandin glycosides in the orange-red flowers of *Sophronitis coccinea* 869 F. Tatsuzawa, N. Saito, M. Yokoi, A. Shigihara and T. Honda

Acylated cyanidin 3-sophorosides in the brownish-red flowers of *Ipomoea purpurea* 875 N. Saito, F. Tatsuzawa, K. Kasahara, S. Iida and T. Honda

Acylated pelargonidin 3, 7-glycosides from red flowers of *Delphinium hybridum* 881 N. Saito, K. Toki, A. Suga and T. Honda

Nitrogen-containing compounds from the moss *Fontinalis squamosa* 887 R. F. Salm, H. D. Zinsmeister and T. Eicher

Steroidal alkaloid glycosides from *Solanum orbignianum* 893 R. M. Coelho, M. C. de Souza and M. H. Sarragiotto

Book Review

Trees-Contribution to Modern Tree Physiology, Edited by H. Rennenberg 899 J. R. Barnett

Number 4

Graphical Abstracts ix

Announcement xvii

Review Article Number 134

Pharmacology and chemotaxonomy of *Diospyros* 901 U. V. Mallavadhani, A. K. Panda and Y. R. Rao

Growth and Metabolism

NCC Malonyltransferase catalyses the final step of chlorophyll breakdown in rape (*Brassica napus*) 953 S. Hörtensteiner

A cysteine proteinase inhibitor purified from apple fruit 957 S. N. Ryan, W. A. Laing and M. T. McManus

Nicotiana glauca invertase: characterization and effects of endogenous alkaloids 965 H. P. Rojo, E. N. Quiroga, M. A. Vattuone and A. R. Sampietro

Production and characterization of monoclonal antibodies to phytoene synthase of *Lycopersicon esculentum* 971 P. D. Fraser, N. Misawa, G. Sandmann, J. Johnson, W. Schuch and P. M. Bramley

Effect of norflurazon on lipid metabolism in soya seedlings 979 O. Abrous, G. Benhassaine-Kesri, A. Tremolieres and P. Mazliak

Structural characterization of aliphatic, non-hydrolyzable biopolymers in freshwater algae and a leaf cuticle using ruthenium tetroxide degradation 987 S. Schouten, P. Moerkerken, F. Gelin, M. Baas, J. W. de Leeuw and J. S. Sinninghe Damsté

Distribution of pyranocoumarins in *Calophyllum cordato-oblongum* 995 H. R. W. Dharmaratne, R. D. Mayuri Sajeevani, G. P. K. Marasinghe and E. M. H. G. Shantha Ekanayake

Ecological Biochemistry

Effect of UV-B on lipid content of three Antarctic marine phytoplankton 999 J. H. Skerratt, A. D. Davidson, P. D. Nichols and T. A. McMeekin

The fragrant floral oils of *Tovomita* species 1009 P. C. D. L. Nogueira, A. J. Marsaioli, M. C. E. Amaral and V. Bittrich

Production of bioactive secondary metabolites in the fruit bodies of macrofungi as a response to injury 1013 M. Stadler and O. Sterner

Differential flavonoid response to enhanced UV-B radiation in *Brassica napus* 1021 L. C. Olsson, M. Veit, G. Weissenböck, J. F. Bornman

Biosynthesis

Coumarins in *Helianthus tuberosus*: characterization, induced accumulation and biosynthesis 1029 F. Cabello-Hurtado, F. Durst, J. V. Jorrín and D. Werck-Reichart

Biosynthesis of the amaryllidaceae alkaloid galanthamine 1037 J. Eichhorn, T. Takada, Y. Kita and M. H. Zenk

Chemotaxonomy

The $C_{16:3}/C_{18:3}$ fatty acid balance in photosynthetic tissues from 468 plant species 1049 S. Mongrand, J.-J. Bessoule, F. Cabantous and C. Cassagne

Cyanidin 3-*O*-(6″-succinyl-*β*-glucopyranoside) and other anthocyanins from *Phragmites australis* 1065 T. Fossen and Ø. M. Andersen

Polyphenols and alkaloids from *Piper* species 1069 V. S. Parmar, S. C. Jain, S. Gupta, S. Talwar, V. K. Rajwanshi, R. Kumar, A. Azim, S. Malhotra, N. Kumar, R. Jain, N. K. Sharma, O. D. Tyagi, S. J. Lawrie, W. Errington, O. W. Howarth, C. E. Olsen, S. K. Singh and J. Wengel

Plant Chemistry

Pinguisane sesquiterpenes from the liverwort *Porella navicularis* 1079 M. Bungert, H. Becker, J. Gabler, K.-P. Adam and J. Zapp

A costic acid guaianyl ester and other constituents of *Podachaenium eminens* 1085 A. Ortega, R. A. Toscano and E. Maldonado

11,12-Epoxy-mulin-13-en-20-oic acid, a diterpenoid from *Azorella compacta* 1091 L. A. Loyola, J. Bórquez, G. Morales and A. San-Martin

Ingenane and lathyrane diterpenes from the latex of *Euphorbia acrurensis* 1095 J. A. Marco, J. F. Sanz-Cervera, F. J. Ropero, J. Checa and B. M. Fraga

Diterpenes from *Pinus taeda* 1101 M. G. de Carvalho, V. M. Rumjanek, M. J. S. Lopes and A. G. de Carvalho

Rosane diterpenes and bis-dinorditerpenes from *Hugonia casteneifolia* 1107 L. K. Midee, R. Waibel, M. H. H. Nkunya, S. A. Jonker and H. Achenbach

Acyclic diterpenes from *Perymenium hintonii* 1115 E. Maldonado, M. Bello, J. L. Villaseñor and A. Ortega

Ursane triterpenoids from leaves of *Melaleuca leucadendron* 1119 C.-K. Lee

Polyhydroxylated triterpenes from *Senecio pseudotites* 1123 N. de Tommasi, L. Rastrelli, M. R. Lauro and R. Aquino

Acyl lupeols from *Cnidoscolus vitifolius* 1127 R. L. Brum, N. K. Honda, S. C. Hess, A. J. Cavalheiro and F. D. Monache

Steroidal glycosides of the 14,15-*seco*-18-*nor*-pregnane series from *Cynanchum ascyrifolium* 1129 H. Yeo, K.-W. Kim, Y.-H. Choi and J. Kim

Anthraquinone glycosides from *Rhynchotechum vestitum* 1135 Y. Lu, P.-J. Xu, Z.-N. Chen and G.-M. Liu

Lignans from the liverwort *Bazzania trilobata* 1139 U. Martini, J. Zapp and H. Becker

Prenylated chalcones and flavones from the leaves of *Dorstenia kameruniana* 1147 B. M. Abegaz, B. T. Ngadjui, E. Dongo and H. Tamboue

Dioncophylline *D* and 8-*O*-methyldioncophylline *D*, 7,8′-coupled naphthlisoquinoline alkaloids from *Triphyophyllum peltatum* 1151 G. Bringmann, M. Wenzel, M. Rübenacker, M. Schäffer, M. Rückert and L. A. Assi

Short Reports

Tetradenolide, an α-pyrone from *Tetradenia riparia* 1157 L. van Puyvelde and N. de Kimpe

A prenylated xanthone from the bark of *Symphonia globulifera* 1159 J. C. Bayma, M. S. P. Arruda and M. S. Neto

Number 5

Graphical Abstracts ix

Announcements xxi

Phytochemistry Symposium Proceedings

Proceedings of a phytochemistry symposium: "Tony Swain 1922–1987: Ten years on" 1161 J. B. Harborne

Tony Swain and phytochemical methods 1163 J. B. Harborne

Role of phenolics in plant evolution 1165 G. A. Cooper-Driver and M. Bhattacharya

Chemosystematics – current status 1175 P. G. Waterman

Tony Swain and the scene today 1179 E. A. Bell

Chemoecology: the legacy left by Tony Swain 1183 M. S. J. Simmonds

Growth and Metabolism

Comparison of leaf and stem cell-wall components in barley straw by solid-state ^{13}C NMR 1191 G. D. Love, C. E. Snape and M. C. Jarvis

Oligosaccharides generated by partial hydrolysis of the borate-rhamnogalacturonan II complex from sugar beet 1195 T. Ishii and S. Kaneko

Consecutive polymerization and depolymerization of kraft lignin by *Trametes cingulata* 1203 N. N. Nutsubidze, S. Sarkanen, E. L. Schmidt and S. Shashikanth

Unfolding and refolding of active apple polyphenol oxidase 1213 S. Mari, L. Marqués, F. Breton, Y. Karamanos and J.-J. Macheix

Phytohormone regulation of isoperoxidases in *Catharanthus roseus* suspension cultures 1219 F. Limam, K. Chahed, N. Ouelhazi, R. Ghrir and L. Ouelhazi

Effect of high irradiance and iron on volatile odour compounds in the cyanobacterium *Microcystis aeruginosa* 1227 K. Walsh, G. J. Jones and R. H. Dunstan

Effects of environmental factors and metals on *Selenastrum capricornutum* lipids 1241 C. J. McLarnon-Riches, C. E. Rolph, D. L. A. Greenway and P. K. Robinson

Modification of fatty acid composition in halophilic Antarctic microalgae 1249 X.-Q. Xu, J. Beardall and N. D. Hallam

5,9-Nonadecadienoic acids in *Malvaviscus arboreus* and *Allamanda cathartica* 1253 N. M. Carballeira and C. Cruz

Uptake and translocation of exogenously applied 7-oxysterols in barley 1257 M. König and K. Seifert

Unusual production of 5-nitroanthranilic acid by *Streptomyces scabies* 1265 R. R. King, C. H. Lawrence and L. A. Calhoun

Ecological Biochemistry

Cone and foliage volatiles emitted by *Pinus cembra* and some related conifer species 1269 L. Dormont, A. Roques and C. Malosse

Why the yew tree (*Taxus baccata*) is not attacked by insects 1279 W. M. Daniewski, M. Gumulka, W. Anczewski, M. Masnyk, E. Bloszyk and K. K. Gupta

Cell Culture and Biotechnology

Biotransformation of the sesquiterpenoid (+)-γ-gurjunene using a plant pathogenic fungus, *Glomerella cingulata*, as a biocatalyst 1283 M. Miyazawa, Y. Honjo and H. Kameoka

The microbiological hydroxylation of 3,16-disubstituted androstanes by *Cephalosporium aphidicola* 1287 J. R. Hanson, P. B. Hitchcock and A. C. Hunter

Dechloroacutumine from cultured roots of *Menispermum dauricum* 1293 Y. Sugimoto, S. Inanaga, M. Kato, T. Shimizu, T. Hakoshima and A. Isogai

Bioactive Plant Products

Antialgal compounds from *Zantedeschia aethiopica* 1299 M. D. Greca, M. Ferrara, A. Fiorentino, P. Monaco and L. Previtera

Oxidation products of hyperforin from *Hypericum perforatum* 1305 S. Trifunović, V. Vajs, S. Macura, N. Juranić, Z. Djarmati, R. Jankov and S. Milosavljević

Plant Chemistry

Two glutaric acid derivatives from olives 1311 M. Gil, A. Haïdour and J. L. Ramos

Two linear acetogenins from *Goniothalamus gardneri*	1317	Y. Chen, Z. Jiang, R. R. Chen and D. Q. Yu
Iridoid glucosides from three *Veronica* species	1323	R. Taskova, N. Handjieva, D. Peev and S. Popov
Secoiridoid glucosides from *Fraxinus ornus* bark	1329	T. Iossifova, B. Vogler and I. Kostova
Four secoiridoid glucosides from *Fraxinus insularis*	1333	T. Tanahashi, Parida, Y. Takenaka, N. Nagakura, K. Inoue, H. Kuwakima and C.-C. Chen
Non-polar constituents from leaves of *Piper lhotzkyanum*	1339	D. de Moreira, E. F. Guimarães and M. A. C. Kaplan
Tinocordifolin, a sesquiterpene from *Tinospora cordifolia*	1343	R. Maurya and S. S. Handa
Eudesmanolides and epoxycuauthemones from *Pluchea quitoc*	1347	G. M. S. P. Guilhon and A. H. Müller
Stereostructures and conformations of four diterpene lactones from *Gelonium multiflorum*	1353	B. Talapatra, G. Das, A. K. Das, K. Biswas and S. K. Talapatra
Occurrence of 2,6-dimethoxy cinnamaldehyde in *Taxus floridana* and structural revision of Taxiflorine to Taxchinin M	1361	K. V. Rao and J. H. Johnson
Acyl steryl glycosies from *Pithecellobium cauliflorum*	1365	D. de C. F. Gomes and L. V. Alegrio
Norlimonoids from seeds of *Toona ciliata*	1369	J. O. Neto, M. F. das G. F. da Silva, E. R. Fo, J. B. Fernandex, P. C. Vieira and A. L. Pinheiro
An orsellinic acid glucoside from *Syzygium aromatica*	1375	R. Charles, S. N. Garg and S. Kumar
Toxic amines and alkaloids from *Acacia rigidula*	1377	B. A. Clement, C. M. Goff and T. D. A. Forbes
Phenylalkanoids from *Piper marginatum*	1381	B. V. de O Santos, E. V. L. da-Cunha, M. C. de O. Chaves and A. I. Gray
Benzofuran and other constituents of the essential oil of *Ageratum conyzoides*	1385	K. Pari, P. J. Rao, B. Subrahmanyam, J. N. Rasthogi and C. Devakumar
A prenylated benzopyran derivative from *Peperomia clusiifolia*	1389	N. P. Seeram, H. Jacobs, S. McLean and W. F. Reynolds
Oligostilbenes from *Vitis betulifolia*	1393	W. Li, B. Li and Y. Chen
Xanthones from *Hypericum japonicum* and *H. henryi*	1395	Q.-L. Wu, S.-P. Wang, L.-J. Du, J.-S. Yang and P.-G. Xiao
Alaternin glucoside isomer from *Cassia tora*	1403	H. J. Lee, J. S. Choi, J. H. Jung and S. S. Kang
Butanolides as a common feature of *Iryanthera lancifolia* and *Virola surinamensis*	1405	N. P. Lopes, D. H. S. Silva, M. J. Kato and M. Yoshida,
Lignans and other constituents of *Propolis* from the Canary Islands	1411	V. S. Bankova, R. S. Christov and A. D. Tejera
Chromone glycosides and flavonoids from *Hypericum japonicum*	1417	Q.-L. Wu, S.-P. Wang, L.-J. Du, S.-M. Zhang, J.-S. Yang and P.-G. Xiao
Chromones and flavanones from *Artemisia campestris* subsp. *maritima*	1421	J. M. J. Vasconcelos, A. M. S. Silva and J. A. S. Cavaleiro
7,3′-Dihydroxy-4′-methoxyflavone from seeds of *Acacia farnesiana*	1425	N. P. Sahu, B. Achari and S. Banerjee
Identification of flavonol and anthocyanin metabolites in leaves of *Petunia* 'Mitchell' and its *LC* transgenic	1427	S. J. Bloor, J. M. Bradley, D. H. Lewis and K. M. Davies

Dihydroflavonol glycosides from *Rhododendron ferrugineum* 1431 E. Chosson, A. Chaboud, A. J. Chulia and J. Raynaud

Characterisation of oligometric and polymeric procyanidins from grape seeds by liquid secondary ion mass spectrometry 1435 V. A. P. de Freitas, Y. Glories, G. Bourgeois and C. Vitry

Amides from stems of *Annona cherimola* 1443 C.-Y. Chen, F.-R. Chang, H.-F. Yen and Y.-C. Wu

Tropane alkaloids with a unique type of acyl moiety from two *Convolvulus* species 1449 K. Jenett-Siems, P. Mann, M. Kaloga, K. Siems, J. Jakupovic, L. Witte and E. Eich

Cyclopeptides from *Dianthus superbus* 1453 Y.-C. Wang, N.-H. Tan, J. Zhou and H.-M. Wu

Indole alkaloids from *Tabernaemontana bovina* 1457 T. P. Lien, H. Ripperger, A. Porzel, K. Merzweiler, T. V. Sung and G. Adam

Pyrrolizidine alkaloids from *Critonia morifolia* 1463 H. Wiedenfeld and A. A. Cetto

Short Reports

Severibuxine, a new quinolin-2,4-dione and other constituents from *Severinia buxifolia* 1467 T.-S. Wu, Y.-L. Leu, Y.-Y. Chan, F.-W. Lin, C.-Y. Li, L.-S. Shi, S.-C. Kuo, C.-F. Chen and Y.-C. Wu

2′-apiosylgardoside, an iridoid glucoside from *Verbenoxylum reitzii* 1471 G. Lino von Poser, J. Schripsema, C. E. Olsen, A. T. Henriques and S. R. Jensen

An abietance from *Taxus cuspidata* cell suspension cultures 1475 K. Salciccioli, F. Dicosmo and W. F. Reynolds

Number 6

Graphical Abstracts ix

Announcement xxii

Review Article Number 135

Biosynthesis in the rotenoid group of natural products: Applications of isotope methodology 1479 L. Crombie and D. A. Whiting

Growth and Metabolism

Effects of 17-alkyl-16, 17-dihydrogibberellin A_5 derivatives on growth and flowering in *Lolium temulentum* 1509 L. N. Mander, G. Adamson, V. K. Bhaskar, B. Twitchin, D. Camp, R. W. King and L. T. Evans

Purification and properties of Pi-repressible acid phosphatases from *Aspergillus nidulans* 1517 S. R. Nozawa, W. Maccheroni Jnr., R. G. Stabeli, G. Thedei Jnr., A. Rossi and A. Rossi

Purification and characterization of cannabichromenic acid synthase from *cannabis sativa* 1525 S. Morimoto, K. Komatsu, F. Taura and Y. Shoyama

In vitro alleviation of heavy metal-induced enzyme inhibition by proline 1531 S. S. Sharma, H. Schat and R. Vooijs

vir-Gene inducing activities of hydroxycinnamic acid amides in *Agrobacterium tumefaciens* 1537 K. Berthelot, D. Buret, B. Guerin, D. Delay, J. Negrel and F. Delmotte

Flavone aglycones in glandular hairs of origanum × intercedens 1549 A. Bosabalidis, C. Gabrieli and I. Niopas

Plant cell wall fragments released on solubilisation in trifluoroacetic acid 1555 I. M. Morrison and D. Stewart

Long-chain aldehyde-forming activity in tobacco leaves 1565 W. Kawasaki, K. Matsui, Y. Akakabe, N. Itai and T. Kajiwara

Non-destructive analysis of natural variability in bean caffeine content of laurina coffee 1569 T. W. Baumann, M. R. Sondahl, S. S. M. Waldhauser and J. A. Kretschmar

Ecological Biochemistry

Production of a 2,5-dioxopiperazine by a new isolate type of the blackleg fungus *Phoma lingam* 1575 M. S. C. Pedras, K. C. Smith and J. L. Taylor

Chlorosis-inducing products from *Pseudomonas syringae* pathovars: new *N*-coronafacoyl compounds 1579 R. E. Mitchell and K. L. Ford

Post-infectional metabolites from infected potato tubers 1585 K. Engström

Effects of rust infection with *Puccinia lagenophorae* on pyrroliizidine alkaloids in *Senecio vulgaris* 1589 G. Tinney, C. Theuring, N. Paul and T. Hartmann,

Biosynthesis

Betanidin formation from dihydroxyphenylalanine in a model assay system 1593 W. Schliemann, U. Steiner and D. Strack

Pathway for the biosynthesis of 4-methyl-1-hexanol volatilized from petal tissue of *Nicotiana sylvestris* 1599 L. Kandra and G. J. Wagner

Iridoid glycoside biosynthesis in *Penstemon secundiflorus*. Another H-5, H-9 *trans*-iridoid glycoside 1605 R. E. Krull, F. R. Stermitz, H. Franzyk and S. R. Jensen

Annojahnin from *Annona jahnii*: a possible precursor of monotetrahydrofuran acetogenins 1609 T. Colman-Saizarbitoria, H. A. Johnson, F. Q. Alali, D. C. Hopp, L. L. Rogers and J. L. McLaughlin

A biosynthetic intermediate of phytoalexins in banana fruits 1617 T. Kamo, N. Kato, N. Hirai, M. Tsuda, D. Fujioka and H. Ohigashi

Cell Culture and Biotechnology

Anthraquinones from hairy root cultures of *Cassia obtusifolia* 1623 H. Guo, Z. Chang, R. Yang, D. Guo and J. Zheng

Deracemization of racemic 4-pyridyl-1-ethanol by *Catharanthus roseus* cell cultures 1627 M. Takemoto and K. Achiwa

Chemotaxonomy

Amino acid sequence of ferredoxin from *Physalis alkekengi* var. *francheti* 1631 Y. Mino and K. Yasuda

Widespread occurrence of *SYN*-alkane-6,8-diols in the flowers of the compositae 1637 T. Akihisa, Y. Inoue, K. Yasukawa, Y. Kasahara, S. Yamanouchi, K. Kumaki and T. Tamura

Atlanticol, an epoxybicyclogermacrenol from the liverwort *Plagiochila atlantica* F. Rose 1641 D. S. Rycroft and W. J. Cole

Bioactive Plant Products

Chelidocystatin, a novel phytocystatin from *Chelidonium majus* 1645 B. Rogelj, T. Popovič, A. Ritonja, B. Strukelj and J. Brzin

Anti-HIV and anti-HIV-1-protease substances from *Ganoderma lucidum* 1651 S. El-Mekkawy, M. R. Meselhy, N. Nakamura, Y. Tezuka, M. Hattori, N. Kakiuchi, K. Shimotohno, T. Kawahata and T. Otake

Acetylated DNA-damaging clerodane diterpenes from *Casearia sylvestris* 1659 P. R. F. de. C. Carvalho, M. Furlan, M. C. M. Young, D. G. I. Kingston and V. da. S. Bolzani

Constituents and bioactive principles of *Polygonum chinensis* 1663 P.-L. Tsai, J.-P. Wang, C.-W. Chang, S.-C. Kuo and P.-D. L. Chao,

5′-*O*-demethyldioncophylline A, a new antimalarial alkaloid from *Triphyophyllum peltatum* 1667 G. Bringmann, W. Saeb, R. God, M. Schäffer, G. François, K. Peters, E.-M. Peters, P. Proksch, K. Hostettmann and L. K. Assi

Plant Chemistry

Hemicellulosic polysaccharides from bamboo shoot cell-walls 1675 Y. Edashinge and T. Ishii

Absolute configurations of all four steroisomers of cryptocaryalactone and deacetyl cryptocaryalactone 1683 S. E. Drewes, M. M. Horn, N. S. Ramesar, D. Ferreira, R. J. J. Nel and A. Hutchings

Murihexol, a linear acetogenin from *Annona muricata* 1689 J.-G. Yu, H.-Q. Gui, X.-Z. Luo and L. Sun

Polyene pigments from fruit-bodies of *Boletus laetissimus* and *B. Rufo-Aureus* (basidiomycetes) 1693 L. Kahner, J. Dasenbrock, P. Spiteller, W. Steglich, R. Marumoto and M. Spiteller

Five phloroglucinol-monoterpene adducts from *Eucalyptus grandis* 1699 K. Umehara, I. P. Singh, H. Etoh, M. Takasaki and T. Konoshima

A dimeric iridoid from *Loasa acerifolia* 1705 A. A. Müller, J. K. Kufer, K. G. Dietl and M. Weigend

Essential oil composition of *Smyrnium olusatrum* 1709 U. Mölleken, V. Sinnwell and K.-H. Kubeczka

A prezizaane sesquiterpene from *Illicium angustisepalum* 1715 L.-K. Sy and G. D. Brown

Structural revision of the parsley sesquiterpenes crispanone and crispane 1719 G. Appendino, J. Jakupovic and E. Bossio

Sesquiterpene constituents of the liverwort *Calypogeia muelleriana* 1723 U. Warmers, K. Wihstutz, N. Bülow, C. Fricke and W. A. König,

Sesquiterpene lactones of *Centaurea scoparia* 1733 D. T. A. Youssef

Sesquiterpene lactones from *Anthemis plutonia* 1739 M. Bruno, A. Maggio, N. A. Arnold, J. G. Dias and W. Herz

Determination of the absolute stereochemistry of the epoxide group in alpinia epoxide by NMR 1741 L.-K. Sy and G. D. Brown

Foveolins A and B, dammarane triterpenes from *Aglaia foveolata* 1745 D. Roux, M.-T. Martin, M.-T. Adeline, T. Sevenet, A. H. A. Hadi and M. Païs,

Quinone-methide triterpenoids from *Glyptopetalum sclerocarpum* 1749 U. Sotanaphun, R. Suttisri, V. Lipipun and R. Bavovada,

Cycloartane triterpenoids from the aerial part of *Bryonia dioica* 1757 T. Akihisa, Y. Kimura, K. Koike, W. C. M. C. Kokke, T. Nikaido and T. Tamura

Tetracyclic triterpenes and other constituents from the leaves and bark of *Larix kaempferi* 1761 H. Ohtsu, R. Tanaka, T. Michida, T. Shingu and S. Matsunaga,

Limonoids from *Khaya senegalensis* 1769 S. A. Khalid, G. M. Friedrichsen, A. Kharazmi, T. G. Theander C. E. Olsen and S. B. Christensen

Degraded limonoids from *Melia azedarach* 1773 M. Nakatani, R. C. Huang, H. Okamura, T. Iwagawa and K. Tadera

(+)-Isolarisiresinol 3a-*O*-sulphate from leaves of *Myrsine seguinii* 1777 X.-N. Zhong, T. Ide, E. Hirata, H. Otsuka, and Y. Takeda

An arylnaphthalene ligan from *Haplophyllum buxbaumii* 1779 Y. Al-Abed, M. Abu-Zarga, S. Sabri, A.-U. Rahman and W. Voelter

A benzophenone and a xanthone from *Garcinia subelliptica* 1783 H. Minamima, K. Hamaguchi, M. Kubo and Y. Fukuyama

Rotenoids from roots of *Clitoria fairchildiana* 1787 B. P. Silva, R. R. Bernardo and J. P. Parente

Seven imidazole alkaloids from *Lepidium sativum* 1791 U. H. Maier, H. Gundlach and M. H. Zenk

Bis-indole alkaloids from *Tabernaemontana bovina* 1797 T. P. Lien, C. Kamperdick, T. V. Sung, G. Adam and H. Ripperger

Short Reports

Cardiac glycosides from *Erysimum cheiranthoides* 1801 Z.-H. Lei, Z.-X. Jin, Y.-L. Ma, B.-S. Tai, Q. Kong, S. Yahara and T. Nohara

2,4-*Trans*-7′,4-dihydroxy-4-methoxyflavan from *Cassia abbreviata* 1805 E. V. Dehmlow, T. Van Ree and M. Guntenhöner

β-Carboline alkaloids from *Hypodematium squamuloso-pilosum* 1807 T.-S. Zhou, W.-C. Ye, Z.-T. Wang, C.-T. Che, R.-H. Zhou, G.-J. Xu and L.-S. Xu

A flavone glycoside from *Andrographis alata* 1811 A. G. Damu, B. Jayaprakasam, K. V. Rao and D. Gunasekar

Destruxin Ed_1 from the fungus *Metarhizium anisopliae* 1815 A. Jegorov, P. Sedmera, V. Havlíček and V. Mat'ha

Triterpenoids from *Bersama swinnyi* 1819 T. Monkhe, D. Mulholland and G. Nicholls

Terpenoids in transformed root culture of *Tripterygium wilfordii* 1821 K. Nakano, C. Yoshida, W. Furukawa, Y. Takaishi and K. Shishido

Neo-clerodane diterpenoids from *Scutellaria orientalis* subsp. *sintenisii* 1825 N. Ezer, Y. Akcos and B. Rodríguez

Iridoids from *Lippia graveolens* 1829 L. Rastrelli, A. Caceres, C. Morales, F. de Simone and R. Aquino

Book Reviews

Chemisch-ecologische Flora van Nederland en België (Chemical-ecological Flora of the Netherlands and Belgium) 1833 R. J. Grayer

Medicinal and Aromatic Plants, Industrial Profiles 1834 J. B. Harborne

Functionality of Food Phytochemicals 1834 J. B. Harborne

Laboratory Handbook for the Fractionation of Natural Extracts 1835 J. B. Harborne

Naturally Occurring Quinones. IV. Recent Advances 1835 J. B. Harborne

Number 7

Graphical Abstracts ix

Growth and Metabolism

Gibberellin A1117 methyl ester, a new antheridiogen from *Lygodium circinnatum* 1837 G. Wynne, L. N. Mander, N. Goto, H. Yamane and T. Omori

Activity of brassinosteroids in the dwarf rice lamina inclination bioassay 1841 S. Fujioka, T. Noguchi, S. Takatsuto and S. Yoshida

Structure-activity studies of brassinolide B-ring analogues 1849 D. L. Baron, T. G. Back, W. Luo, L. Janzen and R. P. Pharis

Solubilization and characterization of a senecionine n-oxygenase from *Crotalaria scassellatii* seedlings 1859 A. Chang and T. Hartmann

Essential carboxyl residues in the active site of a xylanase from *Trichoderma longibrachiatum* 1867 S. Robinson, R. A. Rastall and J. D. Schofield

The presence of cholinesterase in marine algae 1875 A. Gupta, R. Gupta and M. R. Vijayaraghavan

N&- and Ne-D-galacturonoyl-L-lysine amides properties and possible occurrence in plant cell walls 1879 P. Perrone, S. C. Fry, C. M. Hewage and I. H. Sadler

Carbohydrate status and sucrose metabolism in mungbean roots and nodules 1891 J. Chopra, N. Kaur and A. K. Gupta

Naphthalic anhydride prevents inhibition of fatty acid elongation by thiocarbamates 1897 P. B. Barrett and J. L. Harwood

Cloning and characterization of the arabidopsis thaliana lupeol synthase gene 1905 J. B. Reyna, S. P. T. Matsuda, B. Bartel and W. K. Wilson

Possible protective role for 3′,4′-dihydroxyflavones induced by enhanced UV-B in a UV-tolerant rice cultivar 1913 K. R. Markham, G. J. Tanner, M. Caasi-Lit, M. I. Whitecross, M. Nayudu and K. A. Mitchell

Changes in growth and chemica defences upon defoliation in maize 1921 H. G. Collantes, E. Gianoli and H. M. Niemeyer

Cell Culture and Biotechnology

Butanoic acid glucoside composition of whole body and *in vitro* plantlets of *Anoectochilus formosanus* hay 1925 X.-M. Du, T. Yoshizawa and Y. Shoyama

The impact of plant ROLC oncogene on ginsenoside production by ginseng hairy root cultures 1929 V. P. Bulgakov, M. V. Khodakovskaya, N. V. Labetskaya, G. K. Chernoded and Y. N. Zhuravlev

Catechin production in cultured polygonum hydropeper cells 1935 K. Ono, M. Nakao, M. Toyota, Y. Terashi, M. Yamada, T. Kohno and Y. Asakawa

Macrocyclic bisbibenzyls in cultures cells of the liverwort, *Heteroscyphus planus* 1941 K. Nabeta, S. Ohkubo, R. Hozumi and K. Katoh

Biosynthesis

4-hydroxy-2-pyrone formation by chalcone and stilbene synthase with nonphysiological substrates 1945 K. W. M. Zuurbier, J. Schroder, J. Leser, T. Berger, A. J. P. Hofte, G. Schroder and R. Verpoorte

Genetic control of flavone synthase II activity in flowers of gerbera hybrids 1953 S. Martens and G. Forkmann

Phytoalexin accumulation and antifungal compounds from the crucifer wasabi 1959 M. S. C. Pedrass and J. L. Sorensen

Alectrol and orobanchol, germination stimulants for orobanche minor, from its host red clover 1967 T. Yokota, H. Sakai, K. Okuno, K. Yoneyama and Y. Takeuchi

Clearodendrins from *Clerodendron trichotomum* and their feeding stimulant activity for the turnip sawfly 1975 K. Kawai, T. Amano, R. Nishida, Y. Kuwahara and H. Fukami

Limonoids from *Swietenia humilis* and *Guarea grandiflora* (*meliaceae*) 1981 A. Jimenez, R. Mata, C. Villareal, R. A. Toscano, M. Cook, J. T. Arnason and R. Bye

Chemotaxonomy

Distribution and taxonomic significance of calystegines in the convolvulaceae — 1989 T. Schimming, B. Tofern, P. Mann, A. Richter, K. Jenett-Siems, B. Dragr, N. Asano, N. P. Gupta, M. D. Correa and E. Eich

Myricetin 3-rhamnosyl(1-6)galactoside from *Nymphaea* × *marliacea* — 1997 T. Fossen, N. A. Froystein and O. M. Andersen

Bioactive Plant Products

Rhinacanthin-Q, a naphthoquinone from *Thinacanthus nasutus* and its biological activity — 2001 T.-S. Wu, H.-C. Hsu, P.-L. Wu, C.-M. Teng and Y.-C. Wu

An isoprenylated flavanone from *Glycyrrhiza glabra* and rec-assay of licorice phenols — 2005 T. Fukai, B.-S. Cai, K. Maruno, Y. Miyakawa, M. Konishi and T. Nomura

Two new 7-dehydroaporphine alkaloids from the leaves of *Annona purpurea* — 2015 F.-R. Chang, J.-L. Wei, C.-M. Teng and Y.-C. Wu

Plant Chemistry

Essential oils from four piper species — 2019 A. P. Martins, L. Salgueiro, R. Vila, F. Tomi, S. Canigueral, J. Casanova, A. P. Da Cunha and T. Adzet

Iridoid glucosides from *Penstemon secundiflorua* and *P. gradiflorus*: Revised structure of 10-hydroxy-8-epihastatoside — 2025 H. Franzyk, S. R. Jensen and F. R. Stermitz

A germacradiene glycoside from roots of *Pimpinella saxifraga* — 2031 W. Kisiel, Z. Janeczko and M. Zgud-Walaszek

Sesquiterpenoid glucosides from *Laggera pterodonta* — 2035 S. Li, J. Ding, B. Jiang and B. Na

Diterpenes from *Taxus mairei* — 2037 S.-J. Yang, J.-M. Fang and Y.-S. Cheng

Grayanoids from *Pieris formosa* — 2045 L.-Q. Wang, B.-Y. Ding, G.-W. Qin, G. Lin and K.-F. Cheng

3a,20-dihydroxy-3b,25-epoxylupane, a triterpene from *Rhus typhina* — 2049 J. Schmidt, A. Prozel and G. Adam

24-methylene tetracyclic triterpenes from *Polyalthia lancilimba* — 2053 Y. P. Lue, C. M. Li, Q. Mu and H. L. Zheng

A lupane-triterpene and a 3(2-1)abeolupane glucoside from *Hovenia trichocarea* — 2057 K. Yoshikawa, Y. Kondo, E. Kimura and S. Arihara

Oleanolic and ursolic acid derivatives from *Polylepis australis* — 2061 M. E. P. De Lampasona, C. A. N. Catalan, T. E. Gedris and W. Herz

The molecular structure of maniladiol from *Baccharis salicina* — 2065 L. Quijano, T. Rios, F. R. Fronczek and N. H. Fischer

Cycloartenoid dienone acids and lactones from *Combretum erythrophyllum* — 2069 C. B. Rogers

A saponin from the roots of *Gypsophilia bermejoi* — 2077 B. Acebes and A. M. Diaz-Lanza

Saponins from *Harpullia cupanioides* — 2081 L. Voutquenne, C. Lavaud, G. Massiot and C. Delaude

Triterpenoid saponins from *Becium grandiflorum* var *obovatum* — 2087 I. Burger, B. V. Burger, C. F. Albrecht, H. S. C. Spies and P. Sandor

Cardenolide glycosides from seeds of *Corchorus olitorius* — 2097 T. Nakamura, Y. Goda, S. Sakai, K. Kondo, H. Akiyama and M. Toyoda

Steroidal glycosides from the roots of *Metaplexis japonica* — 2103 T. Warashina and T. Noro

Ecdysteroid constituents of the mushroom *Tapinella panuoides** — 2109 K. Vokac, M. Budesinsky, J. Harmatha and J. Kohoutova

Piscidic acid and fukiic acid esters from *Cimicifuga simplex*	2115	M. Takahira, A. Kusano, M. Shibano, G. Kusano and T. Miyase
Two non-terpenoidal benzenoid constituents from leaves of *Azadirachta indica*	2121	V. Sharma, A. Bali and M. Singh
Revised structure for a neolignan from *Brucea javanica*	2125	S. Li, K. Lungquist and A. F. A. Wallis
Two secolignans from *Pepromia dindigulensis*	2129	T. R. Govindachari, G. N. K. Kumari and P. D. Partho
Norneolignan and phenols from *Curculigo capitulata*	2133	W.-L. Chang and S.-S. Lee
Glochidioboside, a glucoside of 7 S, 8 R)-dihydrodehyfrodiconiferyl alcohol from leaves of *Glochidion obovatum*	2137	Y. Takeda, C. Mima, T. Masuda, E. Hirata, A. Takushi and H. Otsuka
1-(2-hydroxy-3,4,5,6-tetramethoxyphenyl)-3-phenylpropene from *Lindera lucida*	2141	Y.-W. Leong, L. J. Harrison, A. A. Kadir and J. D. Connolly
Antioxidative activities of constituents isolated from *Pandanus odoratissimus*	2145	T.-T. Jong and S.-W. Chau
Hydroquinone glycosides from leaves of *Myrsine seguinii*	2149	X.-N. Zhong, H. Otsuka, T. Ide, E. Hirata, A. Takushi and Y. Takeda
Phenylphenalenones from *Ensete ventricosum*	2155	D. Holscher and B. Schneider
Xanthones from *Cratoxylum maingayi*	2159	A. M. S. Silva and W. Herz
Cyanidin 3-(2-glucosylgalactoside) and other anthocyanins from fruits of *Cornus suecica*	2163	R. Slimestad and O. M. Andersen
2″-O-caffeoylorientin from *Vitex polygama*	2167	S. G. Leitao and F. D. Monache
Kaemperol tetragluycosides from cabbage leaves	2171	J. K. Nielsen, R. Norbaek and C. E. Olsen
Acetylated flavonol triglycosides from *Ammi majus*	2177	A. N. B. Singab
Sesquiterpene pyridine alkaloids from *Maytenus aquifolium*	2181	J. Corsino, M. Furlan, V. DA S. Bolzani, A. M. S. Pereira and S. C. Franca
Sesquiterpene polyol alkaloids from *Tripterygium hypoglaucum*	2185	H. Duan and Y. Takaishi
Short Reports		
Desmosine, an artefact alkaloid from *Desmos dumosus*	2191	M. Sulaiman, M.-T. Martin, M. Pais, A. H. A. Hadi and K. Awang
A pyridine-type alkaloid from *Mallotus apelta*	2193	X.-F. Cheng, Z.-M. Meng and Z.-L. Chen

Number 8

Graphical Abstracts	ix	
Growth and Metabolism		
Effects of D-ring modified gibberellins on flowering and growth in *Lolium temulentum*	2195	L. N. Mander, M. Sherburn, D. Camp, R. W. King, L. T. Evans and R. P. Pharis
A low temperature induced apoplastic protein isolated from *Arachis hypogaea*	2207	R. S. Dave and R. K. Mitra
Cucumisin like protease from the sarcocarp of *Benincasa hispida* var. *Ryukyu*	2215	T. Uchikoba, H. Yonezawa and M. Kaneda
Folylpolyglutamate synthesis in *Neurospora crassa*: primary structure of the folylpolyglutamate synthetase gene and elucidation of the *met*-6 mutation	2221	I. J. Atkinson, F. E. Nargang and E. A. Cossins

Differential expression and properties of phenylalanine ammonia-lyase isoforms in tomato leaves 2233 A. D. Sarma, Y. Sreelakshmi and R. Sharma

Biochemical and immunochemical characterization of *Brassica juncea* glyoxalase I 2245 R. Deswal and S. K. Sopory

Photoinduction of arginine decarboxylase activity in leaves of *Pharbitis nil* 2255 I. Yoshida and E. Hirasawa

Acetyl CoA:10-deacetylbaccatin-III-10-*O*-acetyltransferase activity in leaves and cell suspension cultures of *Taxus cuspidata* 2261 J. J. Pennington, A. G. Fett-Neto, S. A. Nicholson, D. G. I. Kingston and F. Dicosmo

Identification of plastoquinone-C in spinach and maple leaves by reverse-phase high-performance liquid chromatography 2267 J. Kruk and K. Strzalka

Effects of enhanced UV-B radiation on *Mentha spicata* essential oils 2273 R. Karousou, G. Grammatikopoulos, T. Lanaras, Y. Manetas and S. Kokkini

Ecological Biochemistry

Proteinase inhibitor accumulation in aphid-infested barley leaves 2279 J. A. Casaretto and L. J. Corcuera

Camalexin accumulation in *Arabis lyrata* 2287 M. Zook, L. Leege, D. Jacobson and R. Hammerschmidt

Ethylene enhances the antifungal lipid content in idioblasts from avocado mesocarp 2291 A. Leikin-Frenkel and D. Prusky

Solanapyrones E-G, antialgal metabolites produced by a marine fungus 2299 K. M. Jenkins, S. G. Toske, P. R. Jensen and W. Fenical

1α,20*R*-Dihydroxyecdysone from *Axyris amaranthoides* 2305 S. D. Sarker, V. Sik, H. H. Rees and L. Dinan

2-Dehydro-3-*epi*-20-hydroxyecdysone from *Froelichia florida* 2311 S. D. Sarker, V. Sik, H. H. Rees and L. Dinan

Biosynthesis

In-vitro prenylation of aromatic intermediates in the biosynthesis of bitter acids in *Humulus lupulus* 2315 K. W. M. Zuurbier, S.-Y. Fung, J. J. C. Scheffer and R. Verpoorte

Cell Culture and Biotechnology

Enzymic synthesis of phytochelatins in gram quantities 2323 M. Friederich, R. Kneer and M. H. Zenk

Ginsenosides in hairy roots of a Panax hybrid 2331 D. Washida, K. Shimomura, Y. Nakajima, M. Takido and S. Kitanaka

Production of coumarin compounds by *Haplophyllum patavinum in vivo* and *in vitro* 2337 R. Filippini, A. Piovan, G. Innocenti, R. Caniato and E. M. Cappelletti

Microbial transformation of sarsasapogenin by *Fusarium lini* 2341 A.-U. Rahman, M. I. Choudhary, F. Asif, A. Farooq, M. Yaqoob and A. Dar

Effects of chemicals on alkaloid production by transformed roots of belladonna 2343 K.-T. Lee, T. Yamakawa, T. Kodama and K. Shimomura

The hydroxylation of steroidal ring D lactones by *Cephalosporium aphidicola* 2349 J. R. Hanson and A. C. Hunter

The hydroxylation of Δ^5-androstenes by *Cephalosporium aphidicola* 2355 C. M. Bensasson, J. R. Hanson and A. C. Hunter

The microbiological hydroxylation of some steroids with a cortical side chain by *Cephalosporium aphidicola* 2359 J. R. Hanson and A. C. Hunter

Chemotaxonomy

Fatty acids of brown algae from the Russian Far East 2363 S. V. Khotimchenko

Terpenoids from *Achillea clypeolata* 2371 M. N. Todorova, M. L. Krasteva, M. M. Markova, E. T. Tsankova, R. M. Taskova and D. R. Piev

Thunalbene, a stilbene derivative from the orchid *Thunia alba* 2375 P. L. Majumder, M. Roychowdhury and S. Chakraborty

Bioactive Plant Products

Alkyl peroxyl radical-scavenging activity of catechins 2379 M. Nakao, S. Takio and K. Ono

Hierridin B and 2,4-dimethoxy-6-heptadecyl-phenol, secondary metabolites from the cyanobacterium *Phormidium ectocarpi* with antiplasmodial activity 2383 O. Papendorf, G. M. König and A. D. Wright

Curacin D, an antimitotic agent from the marine cyanobacterium *Lyngbya majuscula* 2387 B. Márquez, P. Verdier-Pinard, E. Hamel and W. H. Gerwick

Plant Chemistry

Phaeophytins from *Tapura fischeri* 2391 S. L. Schwikkard, D. A. Mulholland and A. Hutchings

A cyclopentene amide from *Lindackeria dentata* 2395 S. Gibbons, A. I. Gray and P. G. Waterman

5-*O*-(α-D-Galactopyranosyl)-D-*glycero*-pent-2-enono-1,4-lactone: characterization in the oxalate-producing fungus, *Sclerotinia sclerotiorum* 2397 S. E. Keates, F. A. Loewus, G. L. Helms and D. L. Zink

Glycosides from *Stenochlaena palustris* 2403 H. Liu, J. Orjala, T. Rali and O. Sticher

Iridoid glucosides from *Bouchea fluminensis* 2409 I. T. A. Schuquel, A. Malheiros, M. H. Sarragiotto and G. J. Vidotti

Trans-fused iridoid glycosides from *Penstemon mucronatus* 2413 R. E. Krull and F. R. Stermitz

A monoterpenoid and two simple phenols from heartwood of *Ficus microcarpa* 2417 Y.-C. Li and Y.-H. Kuo

Eudesmane derivatives from *Laggera crispata* and *Pluchea carolonesis* 2421 A. A. Ahmed, H. R. El-Seedi, A. A. Mahmoud, A. E.-A. A. El-Douski, I. F. Zeid and L. Bohlin

Eudesmanolide from *Centaurea granata* 2425 K. Medjroubi, F. Benayache, S. Benayache, S. Akkal, M. Kaabeche, F. Tillequin and E. Seguin

Crithmifolide: a sesquiterpene lactone from *Achillea crithmifolia* 2429 M. N. Todorova, M. M. Markova and E. T. Tsankova

Diterpenoids from *Rabdosia lihsienensis* 2433 W.-W. Li, B.-G. Li and Y.-Z. Chen

Diterpenoids from *Isodon calcicola* var. *subculta* 2437 S.-N. Chen, S. Cehn, H. Lan, Z.-W. Lin, H.-D. Sun, B.-G. Li and Y.-Z. Chen

Areptins A and B two new neo-clerodane diterpenoids from *Ajuga reptans* 2443 P. Y. Malakov and G. Y. Papanov

Neo-clerodane diterpenoids from *Scutellaria alpina* 2449 P. Y. Malakov and G. Y. Papanov

Norditerpenes from the heartwood of *Picea morrisonicola* 2453 Y.-H. Kuo and M.-H. Yeh

Triterpenoids from *Owenia cepiodora* 2457 D. A. Mulholland, M. Kotsos, H. A. Mahomed and D. A. H. Taylor

Dammarane triterpenoids from rhizomes of *Pyrrosia lingua* 2461 H. Yamashita, K. Masuda, T. Kobayashi, H. Ageta and K. Shiojima

Cicloastragenol glycosides from *Astragalus verrucosus* 2467 L. Pistelli, S. Pardossi, A. Bertoli and D. Potenza

An E-ring γ-lactone pentacyclic triterpene from *Myrianthus serratus* 2473 D. Lontsi, N. F. Ngounou, A. L. Tapondjou, B. L. Sondengam, B. Bodo and M.-T. Martin

Pentacyclic triterpenoids from *Rubus xanthocarpus* 2477 B.-Z. Li, B.-G. Wang and Z.-J. Jia

Triterpenoid saponins from *Ilex latifolia*	2483	M.-A. Ouyang, Y.-Q. Liu, H.-Q. Wang and C.-R. Yang
Noroleanane saponins from *Celmisia spectabilis*	2487	J. Ueckert, V. Wray, M. Nimtz and T. Schöpke
Meliacin butenolides from *Trichilia estipulata*	2493	D. A. G. Cortez, J. B. Fernandes, P. C. Vieria, M. F. das G. F. da Silva, A. G. Ferreira, Q. B. Cass and J. R. Pirani
Vitamin D_3 and its metabolites in tomato, potato, egg plant and zucchini leaves	2497	T. Aburjai, S. Al-Khalil and M. Abuirjeie
A binaphthoquinone from *Diospyros greenivayi*	2501	R. M. Khan and E. Rwekika
A phenolic and an aliphatic lactone from *Diospyros maritima*	2505	Y.-H. Kuo, S.-L. Huang and C.-I. Chang
Aristofolin-A, a denitro-aristolochic acid glycoside and other constituents from aristolochia kaempferi	2509	T. S. Wu, Y.-L. Leu and Y.-Y. Chan
Theaflavate B, isotheaflavin-3′-*O*-gallate and neotheaflavin-3-*O*-gallate: three polyphenolic pigments from black tea	2511	J. R. Lewis, A. L. Davis, Y. Cai, A. P. Davies, J. P. G. Wilkins and M. Pennington
O-Geranylated isoflavones and a 3-phenylcoumarin from *Millettia griffoniana*	2521	E. Yankep, Z. T. Fomum, D. Bisrat, E. Dagne, V. Hellwig and W. Steglich
Prenylisoflavanones from *Geoffroea decorticans*	2525	J. Vila, L. Balderrama, J. L. Bravo, G. Almanza, C. Codina, J. Bastida and J. Connolly
A novel 6-butyl-3-hydroxyflavanone from heartwood of *Bauhinia purpurea*	2529	Y.-H . Kuo, M.-H. Yeh and S.-L. Huang
A xanthone from *Clusia insignis*	2531	K. Ishiguro, S. K. Chaudhuri and I. Kubo
A methylenedioxy flavone from *Limnophila indica*	2533	K. S. Mukherjee, G. Brahmachari, T. K. Manna and P. Mukherjee
Luteolin 3′-xylosyl(1 → 2) glucoside from *Viburnum grandifolium*	2535	M. Parveen, M. S. Khan, Shafiullah and M. Ilyas
Alkaloids from *Crinum delagoense*	2539	J. J. Nair, W. E. Campbell, D. W. Gammon, C. F. Albrecht, F. Viladomat, C. Codina and J. Bastida
Isoquinoline alkaloids from *Berberis vulgaris* subsp. *australis*	2545	R. Suau, R. Rico, J. M. López-Romero, F. Nájera and A. Cuevas
(±)-Heterocarpine, a hydroxymethylated isoquinoline alkaloid from *Ceratocapnos heterocarpa*	2551	R. Suau, N. Posadas, M. V. Silva and M. Valpuesta
Diterpene alkaloids from *Aconitum kirinense*	2557	F. Feng, J.-H. Liu and S.-X. Zhao
(+)-14-Hydroxy-isostephodeline, a morphinan alkaloid from *Pachygone dasycarpa*	2561	H. Guinaudeau, L.-Z. Lin, G. A. Cordell and N. Ruangrungsi
Euscapholide and its glucoside from leaves of *Euscaphis japonica*	2565	Y. Takeda, Y. Okada, T. Masuda, E. Hirata, A. Takushi and H. Otsuka
Absolute configuration of longipinenyl epoxyangelates from three *Stevia* species	2569	J. M. Torres-Valencia, C. M. Cerda-García-Rojas, L. U. Román, J. D. Hernández and P. Joseph-Nathan
Prenylated flavonoids from *Maclura pomifera*	2573	S.-J. Lee, A. R. Wood, C. G.-A. Maier, R. A. Dixon and T. J. Mabry
Acetophenones, a chalcone, a chromone and flavonoids from *Pancratium maritimum*	2579	D. T. A. Youssef, M. A. Ramadan and A. A. Khalifa

Limonoids from *Turraea holstii* and *Turraea floribunda* 2585 D. A. Mulholland, T. V. Monkhe, P. H. Coombes and M. S. Rajab

Short Reports

Tintinnadiol, a sphaeroane diterpene from fruiting bodies of *Mycena tintinnabulum* 2591 M. Engler, T. Anke and O. Sterner

Diterpenoids from *Calceolaria glandulifera* 2595 M. C. Chamy, M. Piovano, J. A. Garbarino and M. P. Améstica

An anthrone from *Picramnia antidesma* 2599 M. D. R. Hernandez-Medel, I. Garcia-Salmones, R. Santillan and A. Trigos

Chalcones and ecdysteroids from *Vitex leptobotrys* 2603 T. T. Thuy, A. Porzel, H. Ripperger, T. Van Sung and G. Adam

Hepatoprotective triterpenes from *Sedum sarmentosum* 2607 A. He, M. Wang, H. Hao, D. Zhang and K.-H. Lee